# **Section 755—Electrical Work**

## 755.1 General Description

Only an approved Electrical Contractor may perform this work. This specification describes electrician qualifications, and does not apply to fiber optic cable or connections.

### 755.1.01 Definitions

**Qualified Electrician**: Either an electrician with a Class II license, issued by the Georgia State Construction Industry Licensing Board, or an electrician who has completed an approved four-year apprenticeship training program and is classified as a Journeyman Electrician.

### 755.1.02 Related References

## A. Standard Specifications

- Section 529—Navigation Lighting
- Section 631—Permanent Changeable Message Signs
- Section 632—Portable Changeable Message Signs
- Section 637—Illuminated Sign System
- Section 647—Traffic Signal Installation
- Section 670—Water Distribution System
- Section 680—Highway Lighting
- Section 681—Lighting Standards and Luminaires
- Section 682—Electrical Wire, Cable, and Conduit
- Section 683—High Level Lighting Systems
- Section 690—Static Scale System
- Section 691—Weigh-in-Motion Scale System
- Section 750—Rest Room Building
- Section 751—Water Supply System
- Section 752—Pneumatic Ejector Lift Station
- Section 753—Waste Water Treatment Plant
- Section 755—Electrical Work
- Section 757—Well Pumps
- Section 759—Water Storage Tanks
- Section 760—Welcome Station Building
- Section 761—Information Center Building
- Section 762—Truck Weighing Station Building
- Section 766—Irrigation System
- Section 768—Truck Weigh Station Control Signs
- Section 770—Truck Weigh Station Height Checking Device
- Section 772—Truck Weigh Station Length Estimating Device
- Section 774—Mobile Operations Office
- Section 776—Check Point Shelter
- Section 777—Truck Weigh Station Communication System

Section 795—Vehicle Maintenance Building

Section 796—Sewage Pumping Station

Section 797—Buildings

Section 936—Traffic Lane Delineator Lighting System

#### **B.** Referenced Documents

General Provisions 101 through 150.

### **755.1.03 Submittals**

General Provisions 101 through 150.

## 755.2 Materials

General Provisions 101 through 150.

## 755.2.01 Delivery, Storage, and Handling

General Provisions 101 through 150.

## 755.3 Construction Requirements

### 755.3.01 Personnel

Ensure the qualified electrician carries evidence of classification and presents it to the Engineer in charge of the construction.

Ensure a qualified electrician is present when any of the sections referred to under Subsection 755.1.02 are part of the Contract. Ensure electrical connections are being made or wire is being pulled.

## **755.3.02 Equipment**

General Provisions 101 through 150.

## 755.3.03 Preparation

General Provisions 101 through 150.

#### 755.3.04 Fabrication

General Provisions 101 through 150.

#### 755.3.05 Construction

General Provisions 101 through 150.

## 755.3.06 Quality Acceptance

General Provisions 101 through 150.

### 755.3.07 Contractor Warranty and Maintenance

General Provisions 101 through 150.

## 755.4 Measurement

This work is not measured separately for payment.

## 755.4.01 Limits

General Provisions 101 through 150.

## 755.5 Payment

This work will not be paid for separately.

## 755.5.01 Adjustments

General Provisions 101 through 150.